

Corrective Action for Engineers, Scientists and Technicians

Jeff Spencer/EE24 544-7498



- ➤ Corrective action was a focus of the recent JSC registration audit by NQA
- ➤ Corrective action procedures were all recently revised or just recently released
- ➤ Our registration audit is scheduled for February 25th-27th, 1998



What I Hope to Accomplish

- ➤ Corrective Action Lingo
- ➤ Corrective Action System
 Overview
 - ➤ New/Revised Procedures
- ➤On-Line QSDN/CAS Demo
- ➤ Audit Preparation



Corrective Action Lingo

- ➤ Nonconformance A condition in which one or more characteristics do not conform to requirements.
- ➤ Root Cause The underlying reason or cause for a nonconformance.



Corrective Action Lingo (cont'd)

- ➤ Corrective Action Action taken to correct a nonconformance and to eliminate the cause to prevent recurrence.
- ➤ Preventive Action Action taken to eliminate the cause of a potential nonconformance in order to prevent occurrence.



Corrective Action System Overview

Supplier &
Subcontractor
Nonconformances
or Deficiencies


In-House Hardware or Software Nonconformances



- ➤ MSFC-P06.1, Purchasing
- ➤ MSFC-P06.1-C03, Procurement Initiator's Guide
- ➤ MSFC-P06.1-C04, Evaluation of Contractor Performance for Contracts With Award Fee Provisions



Supplier/Subcontractor Nonconformances





- ➤ MSFC-P14.1, MSFC Corrective Action System, Rev. A approved on 2/3/98
- ➤ MSFC-P14.1-C01, MSFC Quality Comment System
- ➤ MSFC-P14.1-C02, MSFC Corrective/Preventive Action Notification System
- ➤ MSFC-P14.1-C03, MSFC Quality System Deficiency Notice System



Nonconformance Form 460 (DR) MSFC-P13.1


HW & DR processed per MSFC-P13.1

Remedial Action

Copy of DR
Screened for C/A
Determination

Recurrence Control









Screening Criteria - HW/SW Nonconformances (P14.1)

No Corrective Action Required

- ➤ One time use
- ➤ One of a kind unrelated to other flight hw/sw
- ➤ Benign condition no increase in risk or no effect on form, fit, function
- ➤ Standard repair in place
- ➤ No effect on flight safety, mission performance, reuse or refurbishment



- ➤ Who does it? The right, few people
- ➤ What is the purpose? Helps differentiate between symptoms of underlying causes and the causes themselves
- ➤ When do we do it? Ideally, as soon as you know there is a problem
- ➤ Why do we do it? To prevent recurrence



- ➤ How Corrective Action is Approached
 - >Purchasing/Procurement
 - ➤Interface With External Customers
 - ➤ Work Directly with Hardware/Software
 - ➤ Administrative Work



- ➤ Purchasing/Procurement
 - ➤ How do you measure the performance of your suppliers and request corrective action for problems?
 - ➤ MSFC-P06.1, MSFC-P06.1-C03, MSFC-P06.1-C04
 - Know which apply to your work
 - ➤ Know how to access and verify they're current



- ➤ Interface with External Customers
 - ➤ How can customers file a complaint about a delivered product or service?
 - ➤ MSFC-P14.1-C01
 - ► Know how to access the CWI and Form 4306
 - Form included along with delivered products
 - For calls and letters, form to be completed by recipient and sent to S&MA



- ➤ Work Directly with H/W or S/W
 - ➤ What is your process for corrective action?
 - ➤ The MSFC process for corrective action of hardware or software nonconformances is defined in MSFC-P14.1
 - ➤ The MSFC process for corrective action for design nonconformances (prior to hardware fab) is defined in MSFC-P04.1. MSFC conducts design reviews and documents design deficiencies on Review Item Discrepancies (RIDs)



- ➤ Work Directly with Hardware or Software
 - ➤ How do you know when to take corrective action?
 - ➤ MSFC-P14.1 contains screening criteria which helps determine which hardware/software nonconformances require corrective action. Nonconformances are screened by S&MA and the responsible project/organization. In general, risk and cost-effectiveness are primary considerations




- ➤ Work Directly with Hardware or Software
 - ➤ How do you verify the effectiveness of corrective action?
 - ➤ Per MSFC-P14.1, the CAB assigns actions to assure implementation of corrective action and to assure effectiveness (e.g., monitor next 3 parts through process to verify the fix)
 - ➤ For RIDs, it would depend on the issue. You might not be able to assess effectiveness until testing



- ➤ Administrative Type Work
 - ➤ If you find something wrong, how do you correct it?
 - ➤ If a Quality System deficiency: Generate a QSDN (Be prepared to demonstrate that you know how to access the system)
 - ➤ If a document problem: Identify correction and forward to document OPR




- ➤ Administrative Type Work (cont'd)
 - ➤ If you find something wrong, how do you correct it?
 - ➤ If you're not sure: Contact Organization's ISO Representative (list is maintained on the MSFC ISO 9000 Homepage http://iso9000.msfc.nasa.gov:9001) or as a last resort refer the auditor to your supervisor



-Audit Preparation (cont'd)

- ➤ Audit Do's
 - ➤ Be Honest, Concise
 - ► Listen and Answer the Questions
 - ➤ Be Factual, Polite and Cooperative
 - ➤ Understand the Procedures/Instructions that Apply to You



-Audit Preparation (cont'd)

- ➤ Audit Don'ts
 - ► Make Up an Answer
 - ➤ Be Argumentative or Negative
 - ➤ Be Afraid to Say "I Don't Know, But I'll Find Out"
 - **≻**Guess



- ➤ The registration audit begins on Feb. 25th
- ➤ The key to our success is for each of us to understand how the work we do fits into ISO if you understand that, the audit will be a breeze
- ➤ Jeff Spencer/EE24, ext. 4-7498